

Kiln Dried, Planer Regularised, Treated Softwood

Species:	European Redwood (<i>pinus sylvestris</i>) & European Whitewood/Spruce (<i>picea abies</i>)
Treatment:	Preservative treatment to User Class 2 (refer to table below)
Strength Grading:	C16 or C24
Country of Origin:	Latvia & Sweden
Certification:	FSC® (FSC-C004183)
Density:	550 kg/m ³ (+/-10%)

Stock Sizes Available (Other Sizes Available On Request):

Nominal Size:	Finish Size (mm):
47mm x 50mm	45mm x 45mm
47mm x 75mm	45mm x 70mm
47mm x 100mm	45mm x 95mm
47mm x 125mm	45mm x 120mm
47mm x 150mm	45mm x 145mm
47mm x 175mm	45mm x 170mm
47mm x 200mm	45mm x 195mm
47mm x 225mm	45mm x 220mm
47mm x 250mm	45mm x 245mm
75mm x 100mm	72mm x 95mm
75mm x 150mm	72mm x 145mm
75mm x 175mm	72mm x 170mm
75mm x 200mm	72mm x 195mm
75mm x 225mm	72mm x 220mm
100mm x 100mm	95mm x 95mm
100mm x 200mm	95mm x 195mm
Lengths Available:	2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m, 7.2m, 8.4m



Preservative Treatment Use Classes			
Use Class	General Service Conditions	Exposure To Wetting During Service	Example Of Use
1	Above ground, covered and dry	None	Internal - cupboards, mouldings
2	Above ground, covered and risk of wetting	Occasional	Trusses, joists, studs
3	Above ground, not covered	Frequent	Fence rails, decking, cladding
4	In contact with ground or fresh water	Permanent	Fence posts, decking supports in ground contact
5	In salt water	Permanent	Groynes, jetties

Ascot
t: 01344 874 137
e: ascot@thetimbergroup.co.uk

Clapham
t: 0207 720 9494
e: clapham@thetimbergroup.co.uk

High Wycombe
t: 01494 521 421
e: highwycombe@thetimbergroup.co.uk

Hoddesdon
t: 01992 460 000
e: hoddesdon@thetimbergroup.co.uk

Maidstone
t: 01622 738 246
e: maidstone@thetimbergroup.co.uk

Poole
t: 01202 735 735
e: poole@thetimbergroup.co.uk